

WOOD FLOOR REVITALIZER



SHERWIN-WILLIAMS

AEROGREEN® 4210 REVITALIZER

AEROGREEN 4210 REVITALIZER


- Cleans and protects oiled wood floors by providing a protective finish at the surface; used for regular cleaning and maintenance.
- Enhances the beauty of your oiled wood floors by adding essential oils that nourish the wood as you clean.
- Helps extend the life of your oiled wood floors.
- Can be used on all types of oiled wood floors.
- Contains no solvents or hazardous chemicals.
- Produces a light, pleasant scent.
- Can be applied by hand with a clean cloth or mop, lambs wool or paint roller - all of which can be washed with soap and water for reuse.

ADDITIONAL BENEFITS INCLUDE:

- Non-flammable/non-combustible
- Low VOCs
- Non-hazardous
- Can ship by air
- Density lbs./gal - 8.2

AEROGREEN 4210 WOOD FLOOR REVITALIZER

SMIS NUMBER	PART NUMBER	SIZE
1017-63217	000421014	32 oz.
1017-63225	000421016	1 gallon
1017-63233	000421020	5 gallon



Preserve and protect the organic beauty of your wood floors with a unique blend of natural oils formulated to penetrate wood and highlight its natural grain.

DIRECTIONS FOR USE

Preparation: Sweep the floor to remove all dirt and dust before treatment.

Coverage: 400-500 sq. ft. per quart (37-41 m² per liter)

Equipment: Clean mop or sponge, and a bucket of clean water for rinsing.

Application:

- Shake bottle before using.
- Apply AEROGREEN 4210 Revitalizer to one small area at a time.
- Pour 4 ounces of the Revitalizer for every 50 sq. ft. area.
- Wipe lengthwise on the wood surface, following the pattern of the wood, with a clean mop to remove all the dirt.
- Clean the mop periodically by rinsing it in the bucket of water – ring it out to remove excess water – and continue to next section. Repeat the process until the entire floor is cleaned.
- There should be no excess Revitalizer left on the surface.
- Let dry. The floor will be dry in 1-2 hours.
- Once the floor is completely dry, buff with a soft cloth or lambs wool to enhance shine.

Cleaning Tools: Clean tools, pads and cloths with soap and water.

Maintenance: Use AEROGREEN® 4220 Wood Floor Cleaner to remove dirt and grime. Your best defense against scratches and surface damage is to dust your floors with a microfiber mop or cloth daily. Do not use cleaning products that contain waxes, bleach, ammonia, polishes, oil soaps or abrasive materials, as they might compromise the treatment. Always test any floor treatment in a small area first to ensure desired results. Use AEROGREEN 4210 Revitalizer once a month and AEROGREEN® 4200 Maintenance Oils every three months to preserve the natural beauty of your floors.



WOOD FLOOR REVITALIZER

Since 1866, Sherwin-Williams has provided manufacturers and finishers with the coatings they need to make their products look better and last longer, while helping their operations meet productivity and sustainability goals. Our innovative solutions go beyond coatings to include knowledge, tools, equipment, supplies and industry-leading support. For a better finish, ask Sherwin-Williams.

To learn more, call 1-844-335-5940 or visit us at wood.sherwin.com